

The page numbers in **boldface** type indicate the pages where terms are defined. Terms that occur in investigations (*inv*), Sample Problems (*SP*), MultiLabs (*ML*), and QuickLabs (*QL*), are also indicated.

- Absorption of electromagnetic waves, 436
- Absorption spectra, 406
- Acceleration
  - centripetal, 78–80
  - dynamics, 17–18*SP*
  - force, 7, 56
  - gravity, 19, 33, 34–35*inv*, 36–38*inv*, 220, 275
  - horizontal motion, 40–41*SP*
  - mass, 7
  - projectile, 58
  - tension in a cable, 31–32*SP*
- Acceleration due to gravity, 220
- Action at a distance, **285**
- Action-reaction forces, 9, 105
- Adams, John Couch, 122
- Affleck, Dr. Ian Keith, 222
- Affleck-Dine Baryogenesis, 222
- Air friction, 43, 58
- Air resistance, **43**
- Alouette I, 44
- Alpha decay, 557
- Alpha particles, **556**
- Alpha rays, 520
- Altitude of geostationary orbits, 117–119*SP*
- Ampère, André-Marie, 424
- Amplitude modulated radio, 439
- Anderson, C.D., 577
- Angular momentum, 160
- Angular momentum quantum number, 533
- Anik I, 44
- Antenna cable, 344–345
- Antimatter, 222
- Antineutrino, **259**, 577
- Apollo 13, 114
- Apparent weight, 27, 28–29*SP*, **30**
  - free fall, 42
- Astronomical unit, 101
- Atomic mass number, **547**
- Atomic mass unit, **551**
- Atomic number, **547**
- Atomic theory, 519, 520
- Atoms, 496
  - energy levels, 527
  - ground state, 536
  - lasers, 538
  - quantum mechanical, 529
- Atwood's machine, 34–35*inv*, 36–38*SP*, 193
- Atwood, George, 33, 34
- Auto safety and impulse, 145–147
- Average force, 142, 143
  - tennis ball, on a, 143–144*SP*
- Axes in Cartesian coordinate system, 11
- Ballista, 126–127
- Balmer series, **524**, 525
  - energy levels, 528
  - principal quantum number, 527, 528
- Balmer, Johann Jakob, 524
- Bartholinus, Erasmus, 431
- Baryon, 580
- Becquerel, Henri, 463, 556, 557
- Bell, Jocelyn, 177
- Bernoulli, Daniel, 277
- Beta decay, 558–560
- Beta particle, **556**
- Beta rays, 520
- Betatron, **363**
- Bevatron, 364
- Big Bang, 222
- Billiard ball model, 519
- Binding energy, **232**, 241
  - determining, 242–246*SP*
  - nucleus, 551–552*SP*
- Black holes, 271, 292
- Blackbody, **498**
  - frequency of radiation, 501
  - intensity of radiation, 501
  - Planck's constant, 502
- Blackbody radiation, 498–501
  - electromagnetic energy, 500
  - emission spectrum, 500–501
  - graphs of, 499, 500
  - power, 499, 500
  - temperature, 499
- Bohr radius, **526**
- Bohr, Niels Henrik David, 523, 530, 546
- Boltzmann, Ludwig, 500
- Boot, Henry, 443
- Bragg, Sir Lawrence, 516
- Brahe, Tycho, 102, 103, 105
- Bunsen, Robert, 498
- Calorimeter thermometer, 193
- Careers
  - astronomer, 177
  - cloud physicist, 308
  - mechanical engineer, 87
  - radar scientist, 308
- Cartesian coordinate system, 11
  - axes, 11
  - origin, 11
  - vectors, 80
- Catapult machine, 126–127
- Cathode ray tubes, 17
- Cathode rays, 519, 523
- Cavendish, Henry, 112, 273, 277
- Celestial spheres, 104
- Centrifugal force, 86
- Centripetal acceleration, 78–80, 275
  - uniform circular motion, 88
- Centripetal force, **81**, 82, 274
  - banked curves, 91–92, 93–94*SP*
  - centrifugal force, 86
  - free-body diagrams, 84–86*SP*
  - friction, 83*SP*
  - geostationary orbits, 118*SP*
  - gravity, 84–86*SP*, 111
  - horizontal plane, 82–83*SP*
  - uniform circular motion, 88
  - vertical plane, 82–83*SP*
- CERN, 364, 370
- Chadwick, James, 546
- Chan, Matthew, 87
- Chandra X-ray Observatory, 177
- Chapman, John Herbert, 44
- Charge arrays, 325*QL*
  - electric field lines, 325*QL*
  - equipotential lines, 325*QL*
- Charge density, **328**
- Chemical symbol, **547**
- Cherenkov radiation, 483
- Chisov, I.M., 43

- Circular motion
  - planetary motion, 115–122
  - satellite motion, 115–122
  - verifying the equation, *89–90inv*
- Circular orbit, **236**
- Citizens' band radio, 439
- Clarke orbits, 117
- Clarke, Arthur C., 117
- Closed system, **150**
- Cloud chamber, 577, *578inv*
- Coaxial cable, 344–345
- Cockcroft, J.D., 361
- Cockcroft-Walton proton accelerator, 361
- Coefficient of kinetic friction, **19**, *20–21SP*
  - inclined plane, *49QL*, *50–51SP*
- Coefficient of static friction, **19**, *22QL*
  - inclined plane, *49QL*
- Coherent, **391**
- Coherent radiation, 414
- Collisions
  - analyzing, 163
  - boxcars, between, *151–152SP*
  - classifying, *167–168SP*
  - completely inelastic, 168
  - elastic, 163, 168
  - energy conservation, *172–173SP*
  - examining, *164–166inv*
  - friction, *173–175SP*
  - horizontal elastic, *213–214SP*
  - inelastic, 163, 171
  - kinetic energy, 163, *164–166inv*
  - mass, 170
  - one dimension, 151
  - two dimensions, 155
  - vertical elastic, *215–216SP*
- Combustion chamber, **252**
- Compton effect, **510**
- Compton, Arthur, 510
- Conductors, 341
  - magnetic field, 353
- Conservation of angular momentum, 160, 162
- Conservation of energy
  - ski slope, on, *194–196SP*
  - test of, *197inv*, *211inv*
  - work-energy theorem, 192–194
- Conservation of mass, *490–491SP*
- Conservation of mechanical energy, **194**
- Conservation of momentum, 148, **149**, 150–162
  - automobiles, of, *158–159SP*
  - golf ball, of a, *156SP*
  - tennis ball, of a, *156SP*
  - two dimensions, *156–159SP*
- Conservative force, **217**
- Constructive interference, **387**, 395
  - thin films, 407
  - waves, 391
- Coordinate system, **11**
  - Cartesian, 11
  - incline, along a, 46
- Copernicus, Nicholas, 102, 380
- Corpuscular model of light, 382
- Cosmic rays, 446
- Coulomb constant, 278, 428, 471
- Coulomb repulsive force, 546
- Coulomb's law, 273, 278, 327, 428
  - applying, *279–280SP*
  - graphical analysis, *280QL*
  - multiple charges, *281–282SP*
- Coulomb, Charles Augustin, 273, 277
- Counterweight, **33**
- Crab Nebula, 177
- Cross-product, 349
- Crumple zones, 145
  - designing, *146QL*
- Curie, Marie, 557
- Curie, Pierre, 557
- Cyclotron, **362**
- Dalton, John, 519
- Daughter nucleus, **557**
- Davisson, Clinton J., 516
- de Broglie wavelength, **513**, 514
- de Broglie, Louis, 513, 530
- Decay series, 561
- Deep Space 1, 255
- Destructive interference, **387**, 530
  - single-slit diffraction, *401–402SP*
  - thin films, 407, 408
  - waves, 391
- Deuterium, 550
- Diamagnetic, 347
- Diffraction, **384**
  - Fraunhofer, 398
  - Fresnel, 398
  - fringe, 399
  - light, 384
  - single-slit, 398
  - sound, *390inv*
  - waves, 389
- Diffraction grating, **403**, 405
  - bright fringes, 404
- Diffraction patterns of X-rays, 516
- Digital videodiscs (DVDs), 408–409
- Dilated time, **476**
- Dine, Michael, 222
- Dione, 125
- Dirac, Paul Adrien Maurice, 531
- Dispersion, **383**
  - light, 383, 386
- Doppler capability, 308
- Doppler effect, 308
- Dot product, 185
- Double-slit experiment, 392, *397inv*, 498
- Dynamics, **15**
  - acceleration, *17–18SP*
  - gravity, *17–18SP*
  - kinematics, 16–18
  - velocity, *17–18SP*
- Dynamics of motion, 4
- Earth, 236, 380
  - orbital period, 101
  - orbital radius, 101
- Effluvium, 286
- Einstein, Albert, 12, 114, 292, 464, 471, 472, 488, 502, 505, 506, 518, 538
- Elastic, **163**, 168
- Elastic potential energy, **201**, 205, 206, *213–214SP*
  - spring, of a, *207–208SP*
- Electric energy, 272
- Electric field, 271, **286**, *323ML*, 341
  - application, 348
  - charged parallel plates, 327–328
  - magnetic field, 355–357
  - potential differences, 330–331
  - properties, near a conductor, 324–326

- Electric field intensity, **286**, 287
  - calculating, 287–288
  - charged sphere, *294SP*
  - multiple charges, *295–297SP*
  - parallel plates, *328–329SP*
  - point source, 293–294
  - potential difference, *332–333SP*
- Electric field lines, **300**, 301
  - charge arrays, *325QL*
- Electric force, nature of, 281
- Electric permittivity, **428**, 471
- Electric potential difference, **309**
  - calculations involving, *310–314SP*
  - point charge, 309
- Electric potential energy, 305, 306
  - between charges, *306–307SP*
- Electromagnetic energy and blackbody radiation, 500
- Electromagnetic fields, generating, *465QL*
- Electromagnetic force, 277, 582
- Electromagnetic radiation, 420
  - particle nature of, 502
  - speed of, 429
  - wave theory, 454
- Electromagnetic spectrum, **438**
- Electromagnetic waves, **425**
  - absorption, 436
  - experimental evidence, 427
  - nature of, 422
  - polarization, 431
  - producing, *429QL*
  - properties of, *421ML*
  - reflection, 436
  - speed of, 427, *430SP*
  - wave equation, 448
- Electron gun, 356
- Electron microscopes, 496, 517
- Electron neutrino, 580
- Electron volts, 361, **508**
  - joules, 508
- Electron-neutrino, 554–555
- Electrons, 334, 519, 576, 580
  - atomic number, 547
  - discovery of, 503
  - energy, 524–525
  - energy levels, 527
  - jumping orbits, 524–525
  - law of conservation of momentum, 510
  - magnitude of charge on, 506–507
  - measuring mass to charge ratio, *584–585inv*
  - orbitals, 532–534
  - orbits, 524
  - relativistic mass, *487–488SP*
- Electroscope
  - discharging, *297inv*
  - grounding, *497inv*
- Electrostatic force, **277**
  - nature of, *276inv*
- Elementary particles, 576
- Ellipse, 103–105
- Emission spectrum, **405**, 523–524, 529
  - blackbody radiation, 500–501
  - identifying elements, *537inv*
- Empirical equations, *101QL*, **501**
- Encke, 133
- Energy, **184**
  - binding, 232
  - electrons, 524–525
  - escape, 232
  - lift-off, 230
  - mass, 486–492
  - matter, 511
  - momentum, 134–135
  - nuclear reactions, *568–569SP*
  - orbiting satellites, 236
  - photons, 524–525
  - transformation of, 184
- Energy conservation of collision, *172–173SP*
- Energy conversions and roller coaster, *219–220SP*
- ENIAC, 58
- Equipotential lines in charge arrays, *325QL*
- Equipotential surface, **316**
- Escape energy, **232**
  - determining, *233–234SP*
- Escape speed, 232, **233**
  - determining, *233–234SP*
- Escape velocity, 232
- Eta, 580
- Ether, 384
- Exchange particle, 581
- Exponential relationship, 101
- External force, **150**
- Extremely low-frequency communication, 438
- Faraday cage, **343**, *344QL*
- Faraday shielding, 345
- Faraday's Ice-Pail Experiment, 342–343
- Faraday, Michael, 285, 300, 342–343, 422, 423
- Fermi, Enrico, 554–555
- Fermilab, 364, 370
- Fictitious forces, **13**
- Field structure, 324
- Fields, **285**, 341
  - describing, 285
  - intensity, 286
  - inverse square law, 285
  - potential energy, 304
- Flux lines, 302
- FM radio transmitter, 454
- Force
  - acceleration, 7, 56
  - action-reaction, 9
  - apparent weight, *28–29SP*
  - centripetal, 81, 82
  - components of, *47–48SP*
  - dynamics, 2–3
  - horizontal, 39
  - law of inertia, 57
  - magnitude, 30
  - mass, 7
  - net, determining, 18–20
- Foucault, Jean, 428
- Frames of reference, 4, 6, **11**, 471
  - inertial, 12, 13
  - non-inertial, 12, 13
- Fraunhofer diffraction, **398**
- Free fall, **42**
  - air resistance, 43
  - apparent weight, 42
  - terminal velocity, 43
- Free space, 428
- Free-body diagrams, **18**
  - applying, *23–25SP*
  - centripetal force, *84–86SP*
  - friction, 39
  - inclined plane, *47–48SP*
- Frequency and kinetic energy, 506
- Frequency modulated radio, 441
- Fresnel diffraction, **398**
- Friction, 18, *20–21SP*
  - banked curves, 91–92
  - centripetal force, *83SP*
  - coefficient of kinetic, 19
  - coefficient of static, 19

- collisions, *173–175SP*
- free-body diagrams, 39
- horizontal force, 39
- non-conservative force, 218
- Fringe, **394**
  - bright, 404
  - diffraction, 399
  - first-order, 403
  - higher-order, 400
- Galilei, Galileo, 6, 102
- Galle, J.G., 122
- Gamma, **481**
- Gamma decay, 560
- Gamma radiation, penetrating
  - ability, *545ML*
- Gamma rays, 446, 447, **556**
- Gauss's law for electric fields, 422
- Gauss's law for magnetic fields, 422
- Gauss, Carl Friedrich, 422, 423
- Geiger counter, 570–571
- Geiger, Hans, 520
- Gell-Mann, Murray, 579
- General theory of relativity, 12, 485
- Generator effect, 423
- Geocentric, 102
- Geostationary orbits, **117**
  - altitude, *117–119SP*
  - altitude and velocity, *117–119SP*
  - centripetal force, *118SP*
  - velocity, *117–119SP*
- Germer, Lester H., 516
- Gilbert, Sir William, 286
- Global Positioning System, 236, 443, 444
- Gluon, 582
- Governor General's Medal, 222
- Gradient, **331**
- Gravitational assist, **255**
- Gravitational field, 271
- Gravitational field intensity, **289**
  - calculating, *290SP*
  - Earth, near, *299SP*
  - point mass, 298
- Gravitational field lines, **302**
- Gravitational force, 582
  - nature of, 281
- Gravitational mass, 7
- Gravitational potential energy, 33, 208, 238–242, 305
  - determining, *242–246SP*
  - kinetic energy, 182
  - orbital energy, 237
  - roller coaster, *219–220SP*
  - sea rescue, *191–192SP*
  - work, 190–191
- Gravitational slingshot, **255**
- Graviton, 582
- Gravity, 18, **102**, 274, 485, 577
  - acceleration, 19, 33, *34–35inv*, *36–38inv*, 220, 275
  - centripetal force, *84–86SP*, 111
  - conservative force, 217
  - dynamics, *17–18SP*
  - inclined plane, *47–48SP*
  - Kepler's laws, 108
  - Newton's universal law of, **102**
  - projectile, 59
  - tension in a cable, *31–32SP*
- Gravity wave detection, 292
- Grimaldi, Francesco, 384
- Ground state, **536**
- Gyroscope, 7
- Hadron, **579**, 580
- Hale-Bopp, 133
- Half-life, 545, **562**
  - radioactive isotope, *572inv*
- Halley, Sir Edmund, 105
- Hang time, 73
- Heisenberg uncertainty principle, 222
- Heliocentric, 102
- Hermes*, 44
- Herschel, Sir William, 444
- Hertz, Heinrich, 463, 502
- Hillier, James, 517
- Hohmann Transfer Orbit, 249
- Hollow conductors, 342–343
- Hooke's Law, 201, **203**, 205, 206
  - archery bow, *204–205SP*
  - Newton's Third Law, 203
  - restoring force, 203
  - spring constant, 203
  - spring, of a, *207–208SP*
  - testing, *202inv*
- Hooke, Robert, 206, 384
- Horizontal elastic collisions, *213–214SP*
- Horizontal motion of projectile, 59, *60–62SP*
- Humour, 286
- Huygens' principle, **385**
- Huygens, Christiaan, 384, 498
- Hyakutake, 133
- Hydrogen burning, 568
- Iapetus, 125
- Imax Corporation, 76–77
- Impulse, 140, **141**
  - auto safety, 145–147
  - golf ball, on a, *141–142SP*
  - tennis ball, on a, *143–144SP*
- Impulse-momentum theorem, 142, **143**, 149
- Inclined plane
  - coefficient of kinetic friction, *49QL*, *50–51SP*
  - coefficients of static friction, *49QL*
  - free-body diagrams, *47–48SP*
  - kinematic equations, *47–48SP*
- Inelastic, **163**, 168
- Inertia, **6**, 249
  - law of, 6
- Inertial frame of reference, **12**, 13, 471
- Inertial guidance system, 7
- Inertial mass, **7**
  - measuring, *8inv*
- Infrared radiation, 444
- Interference, thin films, 406–408
- Interference patterns, 392
- Interferogram, 415
- Interferometer, **466**, 469, 470
- Internal force, **150**
- International Space Station, 230, 236
- International Thermonuclear Experimental Reactor, 364
- Inverse relationship, 101
- Inverse square law, **274**
  - field, 285
- Ion engine, 135
- Ionization, 445
- Ionizing radiation, **558**
- Isolated system, **150**, 193
- Isotopes, 357, 549
- Jeans, Sir James Hopwood, 500
- Joe, Dr. Paul, 308
- Joule, James Prescott, 221

- Joules and electron volts, 508
- Jupiter, 236, 380
  - orbital period/radius, 101
- Kaon particles, 477, 580
- Kelvin, Lord, 422
- Kenney-Wallace, Dr. Geraldine, 388
- Kepler's empirical equations, *101QL*
- Kepler's laws, **103**, 104–114
  - gravity, 108
- Kepler's Second Law, 162
- Kepler, Johannes, 101, 103–114
- Kinematic equations, *20–21SP*
  - applying, *23–25SP*
  - inclined plane, *47–48SP*
  - parabolic trajectory, *65–67SP*, *68–69SP*
  - projectile, *60–62SP*
- Kinematics, **15**
  - dynamics, 16–18
- Kinetic energy, *489–490SP*
  - classical, 492
  - collisions, 163, *164–166inv*
  - determining, *242–246SP*
  - direction of work, 185
  - frequency, 506
  - gravitational potential energy, 182
  - orbital energy, 237
  - photoelectric effect, 507
  - photoelectrons, 505
  - relativistic, 492
  - work, 187–188, *189–190SP*
- Kirchhoff, Gustav, 498, 499
- Klystron tubes, 443
- Kopff, 133
- Lambda, 580
- Laser, 388
- Lasers, 496, 538
- Law of action-reaction forces, 9
- Law of conservation of energy, 135, 213
  - test of, *197inv*, *211inv*
- Law of conservation of mass, *490–491SP*
- Law of conservation of
  - momentum, 135, 148–162
  - electrons/photons, 510
- Law of inertia, 6
  - force, 57
- Law of universal gravitation, 103–104, **105**, 106–114
  - planetary motion, 115–122
  - satellite motion, 115–122
  - weight of astronaut, *107SP*
- Lawrence, Ernest O., 362Le
  - Verrier, John Joseph, 122
- Lenard, Phillip, 463, 503, 504
- Length contraction, 477–478, **479**, 480
- Lepton, **577**, 580
- Levitation, 346–347
- Lichten, Steve, 485
- Lift-off energy, 230
- Light, 380, 382, 396
  - See also* Waves
  - corpuscular model of, 382
  - diffraction, 384
  - dispersion, 383, 386
  - particle nature of, 498
  - polarization, *433QL*
  - polarizing, 421
  - properties of, *381inv*
  - rectilinear propagation, 385
  - reflection, 385
  - refraction, 383, 385
  - speed of, 466, 471
  - theoretical speed of, 471
  - visible, 445
  - wave model of, 384
  - wave properties of, *381inv*
  - wavelength of, 396
- Light meters, 496, 508
- LINAC, **363**
- Line spectrum, **405**
- Linear accelerator, **363**
- Logarithmic relationship, 101
- Lorentz-Fitzgerald contraction, 470
- Lowell, Percival, 122
- Luminiferous ether, 463
- Maglev trains, 346–347
- Magnetic field, 271
  - application, 348
  - charged particle, 352
  - circular motion, 355
  - conductor, 353
  - direction, 349
  - electric field, 355–357
  - force on a moving charge, 350, *351SP*
  - force on current-carrying conductor, *354SP*
  - measuring, *360inv*
  - right-hand rule, 349, 353
- Magnetic field intensity, **293**
- Magnetic field lines, **302**
- Magnetic flux, 302
- Magnetic force, nature of, 281
- Magnetic monopoles, 283, 293
- Magnetic permeability, **428**, 471
- Magnetic quantum number, **534**
- Magnetic resonance imaging, 442–443
- Mars, 248–249, 380
  - orbital period/radius, 101
- Mass
  - acceleration, 7
  - collisions, 170
  - energy, 486–492
  - force, 7
  - gravitational, 7
  - inertial, 7
  - planets, 112
  - sun, 112, *113inv*
  - weight of astronaut, *107SP*
- Mass defect, 550, **551**, 559
- Mass spectrometer, **356**
  - motion of charge particles, *357–359SP*
- Matter, 222
  - energy, 511
  - waves, 513
- Matter waves, 513
  - de Broglie wavelength, 513, 514
  - velocity, *514–515SP*
- Maximum height, symmetrical trajectory, 72, *74SP*
- Maxwell's equations, **422**, 423–426, 498
- Maxwell, James Clerk, 422, 471, 498
- Mayer, Julius Robert, 221
- Mechanical energy, 215, *221inv*
- Mercury, orbital period/radius, 101
- Meson, 576, 580
- Metastable state, 538
- Michelson's interferometer, 469
- Michelson, Albert A., 428, 466
- Michelson-Morley experiment, 466–469, 471
- Microgravity, **120**
  - simulating, 121
- Microwaves, 443–444



- Millikan's Oil-Drop Experiment, 334–336, *337–338SP*, *339–340inv*
- Millikan, Robert Andrews, 334, 506
- Modulus of elasticity, 204
- Momentum, 136, **138**, **139**, 150  
energy, 134–135  
hockey puck, of a, *139–140SP*  
photon, 512  
rate of change of, 140
- Morley, Edward Williams, 466
- Motion, 4, *5ML*  
analyzing, 15–26  
bending a wall, *10QL*  
connected objects, 36  
dynamics, 2–3, 4, 15  
horizontal, 59  
incline, along a, 46  
kinematics, 15  
periodic, 208  
planetary, 115–122  
projectile, 58  
rotational, 88  
satellite, 115–122  
two dimensions, in, *57ML*  
uniform, 6, 15, 16  
uniform circular, 78–95  
uniformly accelerated, 15, 16  
vertical, 27–45
- Mu meson, 480
- Muon, 480, 577, 580
- Muon neutrino, 580
- Neddermayer, S.H., 577
- Neptune, 122, 236
- Neutral pion, 576
- Neutrino, **259**, 554–555, 576, 577  
detecting, 555
- Neutron, **546**, 580
- Neutron star, 177
- Newton's Cradle, *137inv*
- Newton's First Law, 6, 249  
relativity, 12
- Newton's law of universal gravitation, 102–105, **106**, 107–114
- Newton's laws, 222
- Newton's mountain, 116
- Newton's Second Law, 7, 138, 140, 249  
apparent weight, *28–29SP*  
free-body diagrams, 18, *23–25SP*  
friction, 39  
horizontal motion, *40–41SP*  
kinematic equations, *23–25SP*  
tension in a cable, *31–32SP*  
work, 187–188
- Newton's Third Law, 9, 148–162, 249, 251  
apparent weight, *28–29SP*  
applying, *23–25SP*  
free-body diagrams, *23–25SP*  
Hooke's law, 203  
kinematic equations, *23–25SP*
- Newton, Sir Isaac, 6, 103–114, 116, 136, 248–249, 274, 279, 382
- Newtonian demonstrator, *137inv*
- Nobel Prize, 334, 361, 464, 504, 557, 583
- Nodal point, **387**
- Non-conservative force, **218**
- Non-inertial frame of reference, **12**, 13
- Nova, 103
- Nuclear binding energy, 550
- Nuclear fission, **566**
- Nuclear fusion, **567–568**
- Nuclear fusion reactors, 364
- Nuclear model, **521**
- Nuclear radiation, detecting, 570–571
- Nuclear reactions, 565  
energy, *568–569SP*
- Nucleon number, **547**
- Nucleons, **546**
- Nucleus, 521  
binding energy, *551–552SP*  
daughter, 557  
estimating size of, *522QL*  
parent, 557  
stability of, 548  
structure of, 546
- Nuclides, 549
- Oersted, Hans Christian, 424
- Omega, 580
- Open system, **150**
- Optical pumping, 538
- Orbital energy  
gravitational potential energy, 237  
kinetic energy, 237  
satellite, 237
- Orbital period, 101
- Orbital quantum number, **532**, 533
- Orbital radius, 101
- Orbital speed of planets, *109–110inv*
- Orbitals, **532**  
electrons, 532–534
- Orbits  
perturbing, 121–122  
satellite, 117
- Origin in Cartesian coordinate system, 11
- Parabola, **63**, *73–75SP*  
symmetrical, *73–75SP*  
trajectory, *64inv*, *65–67SP*
- Parabolic trajectory  
components of, *64inv*  
kinematic equation, *65–67SP*, *68–69SP*
- Parallel plates  
electric field intensity, *328–329SP*  
potential differences, 330–331
- Parent nucleus, **557**
- Particle accelerators, **355**, 361, 370, 544  
cost benefit analysis, 370
- Particle gun, 356
- Particle nature of light, 498
- Pauli exclusion principle, **534**, 535
- Pauli, Wolfgang, 534, 554–555, 559
- Pendulum, *183ML*
- Perihelion, 109
- Periodic motion, *183ML*, 201, **208**  
analyzing, *209inv*  
restoring force, 208, 210
- Perturbations, **122**
- Phagocytosis, 496
- Phase differences, 415
- Phase interferometry, 414
- Photoelastic, **435**
- Photoelectric effect, 463, 464, 502, **503**  
early experiments, 503–504  
kinetic energy, 507  
magnitude of charge on electron, 506–507  
photons, 505  
quantum, 505

- Photoelectrons, kinetic energy, 505
- Photons, **505**, 508, 538, 554–555, 580, 582  
   calculating momentum of, *512–513SP*  
   energy, 524–525  
   law of conservation of momentum, 510  
   momentum, 512  
   photoelectric effect, 505
- Physics of a car crash, 161
- Physics research, 370
- Pilot waves, 530
- Pion, 576, 577, 580
- Planck's constant, 222, 502, 506
- Planck, Max, 501
- Plane polarized, **432**
- Planetary motion  
   circular motion, 115–122  
   law of universal gravitation, 115–122
- Planetoid, escape from, *229QL*
- Planets  
   mass, 112  
   orbital speed, *109–110inv*
- Plasma, 365
- Plastic, 168
- Plum pudding model, 520
- Pluto, 122
- Polarization, 434–435  
   calcite crystals, *431QL*  
   electromagnetic waves, 431  
   light, *433QL*  
   modelling, *433QL*
- Polarizing filters, 432
- Positron, **259**, 560, 576
- Potential differences  
   electric field, 330–331  
   electric field intensity, *332–333SP*  
   parallel plates, 330–331
- Potential energy, 33  
   fields, 304  
   potential, 33
- Potential gradient, **331**
- Prebus, Albert, 517
- Priestly, Joseph, 277
- Principal quantum number, **527**  
   Balmer series, 527, 528
- Principle of equivalence, 12
- Project HARP, 241
- Projectile, **58**  
   gravity, 59  
   horizontal motion, 59, *60–62SP*  
   kinematic equation, *60–62SP*  
   maximum range, *70QL*  
   parabola, 63  
   range, 58  
   trajectory, 58
- Projectile motion, 58  
   components of, *64inv*
- Proper length, **479**
- Proper time, **475**
- Propulsion in space, 252–253  
   process of, 255–256  
   rockets, *253–254SP*
- Proton, 546, 580
- Ptolemy, 102
- Pulsars, 177
- Quantity of motion, 136
- Quantized, **501**
- Quantum, **501**  
   photoelectric effect, 505  
   principal number, 527
- Quantum mechanical atom, 529
- Quantum mechanics, 496
- Quantum numbers, 532, 533  
   magnetic, 534  
   spin, 534
- Quantum pennies, *334QL*
- Quark, 583  
   properties, 581
- Quarks, **579**
- Radar, 308
- Radar satellites, 414–415
- Radioactive emissions,  
   penetrating ability, *545ML*
- Radiation, detecting, 570–571
- Radio telescopes, 379, 436
- Radio waves, 427, 438, *449SP*
- Radioactive decay  
   half-life, 562, *564–565SP*  
   rate of, 562–563
- Radioactive isotopes, 556, **557**  
   applications of, 573–574  
   half-life, *572inv*  
   medicine, 573  
   smoke detectors, 574  
   tracers, 574
- Radioactive materials, **556**
- Radioactivity, detecting, 570–571
- Radioisotopes, 557, 565
- Randall, John T., 443
- Range, **58**  
   symmetrical trajectory, 72, *74SP*
- Rayleigh criterion, **410**
- Rayleigh, Lord, 410, 500
- Reaction engine, *251QL*
- Recoil, **153**, 251  
   canoe, of a, *154–155SP*
- Rectilinear propagation of light, 385
- Reflection  
   electromagnetic waves, 436  
   light, 385
- Refraction of light, 383, 385
- Relative time, *476–477SP*
- Relativistic lengths, *481–482SP*
- Relativistic mass, **486**, *487–488SP*  
   electron, *487–488SP*
- Relativistic speeds, **481**
- Relativity  
   general theory of, 12, 485  
   special theory of, 464, 471–483, 485
- Resolving power, **409**, 410, *411–412SP*
- Resonant-cavity magnetron, 443
- Rest energy, **488**
- Rest mass, **486**
- Restoring force, **203**  
   periodic motion, 208, 210
- Retrograde rocket burner, 249
- Rhea, 125
- Right-hand rule for magnetic field, 349, 353
- Röntgen, Wilhelm Conrad, 463, 510, 556
- Rotational motion, describing, 88
- Rumford, Count, 221
- Rutherford Medal, 222
- Rutherford, Ernest, 361, 520, 521, 523, 546, 556
- Rydberg constant, **524**, 525
- Rydberg, Johannes Robert, 524
- Safi-Harb, Dr. Samar, 177
- Satellite motion  
   circular motion, 115–122  
   law of universal gravitation, 115–122  
   orbiting, 236  
   orbits, 117

- Saturn, 236
  - orbital period/radius, 101
- Scanning electron microscope, 517
- Schrödinger wave equation, **531**, 532
- Schrödinger, Erwin, 531
- Search for Extra-Terrestrial Intelligence, 379
- Semiconductor electronics, 496
- SETI, 379
- Shielded twin lead, 344–345
- Shoemaker-Levy 9, 250
- Short-wave radio, 439
- Sigma, 580
- Simultaneity, **473**
- Single-slit diffraction, 398
  - destructive interference, 401–402*SP*
- Single-slit experiment, 410
- Single-slit interference, 400
- Slinky, 183
- Smoke detectors, 574
- Sound, diffraction of, 390*inv*
- Spacecraft, 236
- Special theory of relativity, 464, 471–483, 485
  - dilated time, 476
  - length contraction, 477–480
  - proper length, 479
  - proper time, 475
  - rest time, 475
  - simultaneity, 473
  - time dilation, 474–476
- Spectrometer, 406
- Spectroscopes, 405, 406
- Speed of light, 466
- Spin quantum number, **534**
- Spring, 5*ML*
- Spring constant, **203**
- Spring pendulum, 183*ML*
- Standard model, **582**
- Stanford Linear Accelerator Centre, 363
- Stanford University, 583
- Stefan, Josef, 500
- Stoke's law, 336
- Stokes, Sir George Gabriel, 336
- Stopping potential, **504**
- Strong nuclear force, 547–548, 577, 582
- Strutt, John William, 410, 500
- Sudbury Neutrino Observatory, 554–555
- Sun, mass of, 112, 113*inv*
- Superball Boost, 257*inv*
- Superconductivity, 346–347
- Supernovae, 103, 177
- Superposition of waves, **386**
- Swift-Tuttle, 133
- Swigert, Jack, 100
- Symmetrical trajectory, 73–75*SP*
  - maximum height, 72*SP*, 74*SP*
  - range, 72, 74*SP*
  - time of flight, 71, 74*SP*
- Synchrocyclotron, **363**
- Synchrotron, **364**
- System of particles, **150**
- Tachyons, 482
- Tau neutrino, 580
- Tau particles, 477, 577, 580
- Taylor, Dr. Richard, 583
- Technical Standards and Safety Authority, 87
- Television frequencies, 440
- Tension, **30**
  - cable, in a, 31–32*SP*
- Terminal velocity, **43**, 45*QL*
- Tesla (T), 349
- Test charge, **286**
- Tethys, 125
- Theoretical physics, 222
- Thermal energy, 221*inv*, 490–491*SP*
- Thermoluminescent, 571
- Thompson, Benjamin, 221
- Thomson, George P., 516
- Thomson, J.J., 334, 463, 516, 519, 520, 556, 584
- Thomson, William, 422
- Threshold frequency, **507**
- Time dilation, **474**
- Time of flight of symmetrical trajectory, 74*SP*
- Titan, 125
- Tokamak system, 364–365
- Tombaugh, Clyde, 122
- Toroidal magnetic bottle, 365
- Torsion balance, 273*QL*, **277**
- Total energy, **488**, **489**
- Total orbital energy, **241**
  - determining, 242–246*SP*
- Tracy, Paul, 93
- Trajectory, **58**
  - parabola, 64*inv*, 65–67*SP*
  - symmetrical, 71
- Transformation of energy, 184
- Transmission electron microscope, 517
- Transmutation, **558**
- Transportation technology, 262
- Trebuchet, 126–127
- Triangulation, **443**
- Tritium, 550
- Twin-lead wire, 344–345
- Tychonic system, **102**
- Ultrafast laser, 388
- Ultraviolet catastrophe, **501**
- Ultraviolet radiation, 445
  - transmission of, 421*ML*
- Uniform circular motion, 78, **79**, 80–95
  - centripetal acceleration/force, 88
  - vectors, **79**
  - velocity, **79**
- Uniform motion, 6, **15**, 16
- Uniformly accelerated motion, **15**, 16
  - Atwood's machine, 33
- Universal gravitational constant, 108, 273
- Universal speed limit, 482–483
- Unruh, Dr. William George, 292
- Uranus, 122, 236
- Vacuum, 428
- Van de Graaff generator, 323, 429
- Variable force, 198–200*SP*
- Vector product, 349
- Vector sum, 7
- Vectors
  - Cartesian coordinate system, 80
  - radial component, 80
  - tangential component, 80
  - uniform circular motion, **79**
- Velocity
  - dynamics, 17–18*SP*
  - geostationary orbits, 117–119*SP*
  - matter waves, 514–515*SP*
  - uniform circular motion, **79**
- Velocity selector, 356
- Venus, orbital period/radius, 101
- Vertical elastic collisions, 215–216*SP*
- Vertical motion, 27–45
  - linear, 27
- Visible light, 445



- von Laue, Max, 516
- Voyager 1, 236
- Voyager 2, 236
  
- Walton, E.T.S., 361
- Wave equation for
  - electromagnetic waves, 448
- Wave functions, **531**, 532
- Wave model of light, 384
- Wave of probability, 531
- Wave theory of electromagnetic radiation, 454
- Wave theory of light, 379
- Wave-particle duality, **518**
- Wavelength of light, 396
- Waves
  - coherent, 391
  - constructive interference, 387, 391
  - destructive interference, 387, 391
  - diffraction, 389
  - double-slit experiment, 392, 397*inv*
  - electromagnetic, 425–426
  - interference patterns, 392
  - matter, 513
  - nodal point, 387
  - properties of, 381*inv*
  - superposition of, 386
  - wavelength of light, 396
- Weak boson, 582
- Weak nuclear force, 577, 582
- Weather, 308
- Weight, 27
  - apparent, 27
- Weightlessness, 42, 120
- Wildlife tracking collars, 440
- Wilson, C.T.R., 577
- Work, **184**, **186**
  - direction of, 185
  - general work equation, 186–187*SP*
  - gravitational potential energy, 190–191
  - kinetic energy, 187–188, 189–190*SP*
  - Newton's second law, 187–188
  - sea rescue, 191–192*SP*
  - variable force, 198–200*SP*
- Work function, **505**
- Work-energy theorem, **192**
  - conservation of energy, 192–194
- Work-kinetic energy theorem, **188**
  
- X-rays, 446, 510, 556
  - diffraction patterns, 516
- Xenon, 255
  
- Young, Thomas, 392, 498
- Yukawa, Hideki, 576
  
- Zeeman effect, **530**
- Zeeman, Pieter, 529, 530
- Zweig, George, 579